



Cascade Jumper

by Jo Allport

Cascade Jumper

By Jo Allport

MATERIALS

Scheepjes Woolwise

(100% Recycled Superwash Merino Wool;
100g/200m)

Yarn A 701 Pure White x 2 (2: 2: 3: 3: 3) balls

Yarn B 754 Sage Leaf x 2 (3: 3: 3: 4: 4) balls

Yarn C 759 Deep Moss x 4 (4: 4: 5: 5: 6) balls

Addi Novel Lace 4mm and 4.5mm circular
needles, 60-80cm long

4 x locking stitch markers

2 x stitch holders

GAUGE/TENSION

26 sts and 28 rows to measure 10 x 10cm
over Double Rib Patt using 4.5mm needles.

ABBREVIATIONS

[] number of sts on a given round/row

as folls as follows

beg begin(ning)

cont continue

dec decrease

dec 1 st decrease 1 st: to dec at beg of RS row,
work ssk at beg of row; to dec at end of
RS row, work k2tog at end of row; to dec at beg
of WS row, work p2tog at beg of row; to dec
at end of WS row, work p2tog tbl at end of row

inc increase

inc 1 st increase 1 st by working indicated st
twice: work either kfb or pfb depending on
whether st is knit or purl st

k knit

k2tog knit 2 sts tog to dec by 1 st: insert needle
kwise into first 2 sts and knit them tog

kfb knit front and back to inc by 1 st: insert
needle kwise into next st; knit as normal but
don't slip st from needle, instead bring needle
around to back and knit through back lp of
same st

kwise knitwise

lp(s) loop(s)

m stitch marker(s)

p purl

p2tog purl 2 sts tog to dec by 1 st: insert needle

pwise into first 2 sts and purl them tog (right
leaning dec)

patt(s) pattern(s)

pfb purl front and back to inc by 1 st: insert

needle pwise into next st; purl as normal but
don't slip st from needle, instead take needle
around to back and purl through back lp of
same st

pm place stitch marker(s)

pwise purlwise

rep(s) repeat(s)

rem remaining

RS right side

ssk slip 1 st kwise, slip next st kwise, insert left
needle into front of 2 slipped sts and knit them tog

st(s) stitch(es)

tbl through back loop(s)

tog together

WS wrong side

(.....) **once/twice/3 times** work instructions
between brackets the *total* number of times
stated

***.....; rep from * once more/twice more/3
times/to the end** work instructions after * and
then repeat that section as specified; the same
applies to any number of asterisks: **.....; rep
from * etc.

PATTERN NOTES

Jumper is worked flat from bottom up. Use
intarsia technique for Chevron Patt; use
separate balls for each colour section and twist
yarns at colour changes to avoid holes.
When working Chevrons on Back and Front,
adjust central colour area by working 2 sts
more at each side of colour change in each
row. This means that compared to previous



MEASUREMENTS							
Size		XS	S	M	L	XL	XXL
To fit bust	(cm)	71-76	81-86	91.5-96.5	101.5-106.5	111.5-117	122-127
	(in)	28-30	32-34	36-38	40-42	44-46	48-50
Actual bust	(cm)	98	105	114	120	126	132
	(in)	38½	41¼	45	47¼	49½	52
Actual length	(cm)	54	56	58	60	62	64
	(in)	21¼	22	22¾	23½	24½	25¼
Sleeve seam	(cm)	47	47	46	46	46	46
	(in)	18½	18½	18¼	18¼	18¼	18¼

SCHEMATIC: GARMENT MEASUREMENTS



row, first colour is worked for 2 sts less, then central colour is worked for 4 sts more and last colour is worked for 2 sts less. For Sleeves, yarn colour changes happen at same time as Sleeve shaping. Neckband sts are picked up and worked in the round; when working from st holders, continue in patt as set from worked back sts.

Stitch Pattern

Double Rib Patt

Row 1 (RS) (P2, k2) to last 2 sts, p2.

Row 2 (WS) K2, (p2, k2) to end.

These 2 rows form patt and are repeated.

INSTRUCTIONS

BACK

Using Yarn A and 4mm needles, cast on 130 (138: 150: 158: 166: 174) sts. Work in Double Rib Patt until work measures 5cm, ending with a WS row. Change to 4.5mm needles.

Continue in Double Rib Patt throughout as set, and at the same time, work intarsia Chevron Patt as follows:

First Chevron

Row 1 (RS) With Yarn A patt 64 (68: 74: 78: 82: 86) sts, with Yarn B patt 2 sts, with Yarn A patt 64 (68: 74: 78: 82: 86) sts.

This row sets position of Chevron Patt.

Next row (WS) With Yarn A patt 62 (66: 72: 76: 80: 84) sts, with Yarn B patt 6 sts, with Yarn A patt 62 (66: 72: 76: 80: 84) sts.

Next row (RS) With Yarn A patt 60 (64: 70: 74: 78: 82) sts, with Yarn B patt 10 sts, with Yarn A patt 60 (64: 70: 74: 78: 82) sts.

Continue in same way to work 2 more sts with Yarn B on each side of central sts on **every row** until there are no sts worked in Yarn A. With Yarn B, work 11 (9: 8: 6: 6: 4) rows straight in patt.

Second Chevron

Row 1 (RS) With Yarn B patt 64 (68: 74: 78: 82: 86) sts, with Yarn C patt 2 sts, with Yarn B patt 64 (68: 74: 78: 82: 86) sts.

This row sets position of Chevron Patt.

As before, work 2 more sts with Yarn C on each side of central sts on **every row** until there are no sts worked in Yarn B.

Using Yarn C, work 1 (1: 0: 0: 0: 0) rows straight in patt.

There are 78 (80: 84: 86: 90: 92) rows worked in total from start of First Chevron. Continue with Yarn C only and in Double Rib Patt as set. Mark each end of next row with sm for armholes.** Continue straight in patt until Back measures 52 (54: 56: 58: 60: 62)cm, ending with a WS row.

Shape Shoulders

Continue in patt, cast off 6 (7: 7: 8: 8: 9) sts at beg of next 4 (12: 4: 12: 8: 12) rows. [106 (54: 122: 62: 102: 66) sts]

Cast off 7 (0: 8: 0: 9: 0) sts at beg of next 8 (0: 8: 0: 4: 0) rows. Leave remaining sts on holder. [50 (54: 58: 62: 66: 66) sts]

FRONT

Work as given for Back to **.

Continue straight in patt until Front measures 45 (47: 49: 50: 52: 54)cm, ending with a WS row.

Divide for Front Neck

Next row (RS) Patt 50 (52: 56: 58: 60: 64) sts, turn and work on these sts for Left Front Neck, leaving remaining sts on holder.

Shape Left Front Neck

Dec 1 st at neck edge on next 4 rows. [46 (48: 52: 54: 56: 60) sts]

Work 12 rows, dec 1 st at neck edge on every RS row. [40 (42: 46: 48: 50: 54) sts]

Continue straight in patt until Front measures same as Back before shoulder shaping, ending with a WS row.

Shape Left Shoulder

Cast off remaining sts as follows: cast off 6 (7: 7: 8: 8: 9) sts at beg of next 2 (6: 2: 6: 4: 6) RS rows, then cast off 7 (0: 8: 0: 9: 0) sts at beg of next 4 (0: 4: 0: 2: 0) RS rows.

Shape Right Neck

With RS facing, place centre 30 (34: 38: 42: 46:

46) sts on holder, rejoin yarn at neck edge and patt to end. [50 (52: 56: 58: 60: 64) sts]

Dec 1 st at neck edge on next 4 rows. [46 (48: 52: 54: 56: 60) sts]

Work 12 rows, dec 1 st at neck edge on every RS row. [40 (42: 46: 48: 50: 54) sts]

Continue straight in patt until Front measures same as Back before shoulder shaping, ending with a RS row.

Shape Right Shoulder

Cast off remaining sts as follows: cast off 6 (7: 7: 8: 8: 9) sts at beg of next 2 (6: 2: 6: 4: 6) WS rows, then cast off 7 (0: 8: 0: 9: 0) sts at beg of next 4 (0: 4: 0: 2: 0) WS rows.

SLEEVE (MAKE 2)

With 4mm needles and Yarn A, cast on 58 (62: 62: 66: 66: 70) sts.

Work in Double Rib Patt for 4cm, ending with a WS row.

Change to 4.5mm needles.

Continue in Double Rib Patt for 4 more rows.

Shape Sleeve and Change Colours

Read ahead, sleeve shaping is worked at same time as colour changes.

Inc row (RS) In patt, inc 1 st in first st, patt to last st, inc 1 st in last st.

Work 5 (5: 5: 5: 3: 3) rows straight.

Rep last 6 (6: 6: 6: 4: 4) rows until you have 90 (94: 98: 104: 110: 114) sts and working new sts in patt, then work straight in patt as set until Sleeve measures 47 (47: 46: 46: 46: 46)cm, ending with a WS row

AND AT THE SAME TIME when work measures 10cm from cast-on edge, change to Yarn B and when work measures 30cm from cast-on edge change to Yarn C.

Shape Sleeve Cap

Continue in patt and Yarn C, cast off 30 (32: 32: 34: 36: 38) sts at beg of next 2 rows. [30 (30: 34: 36: 38: 38) sts]

Cast off in patt.

NECKBAND

Join both shoulder seams.

With RS facing, 4mm circular needles and Yarn C, work in Double Rib Patt as set across 50 (54: 58: 62: 66: 66) sts from back holder, pick up and work 24 (24: 24: 28: 28: 28) sts in Double Rib Patt along left neck, work in Double Rib Patt as set across 30 (34: 38: 42: 46: 46) sts from front holder, and pick up and work 24 (24: 24: 28: 28: 28) sts in Double Rib Patt along right neck. [128 (136: 144: 160: 168: 168) sts]

Join to work in the round and place marker for beg of round.

Continue in Double Rib Patt as set for 10cm.

Cast off in patt.

TO FINISH

Insert sleeve caps between sm and sew in place. Sew sleeve and side seams. Weave in all ends and block to measurements.

Pattern copyright © Scheepjes.com. This pattern is available for unlimited personal use. You may print a copy of the pattern or keep a digital copy for personal use only. Do not reproduce this pattern or sell this pattern (either digitally or in print). This document may not be posted online, either as a complete document or in part. You are allowed to sell items that are made using this pattern as long as the designer is credited.

